Signal Processing 26 (1992) 391–392
Elsevier

Author index Volume 26

(The issue number is given in front of the page numbers)

Absher, R.G., *see* **E.F. Velez** (2) 161–175

Butterweck, H.J., A.C.P. van Meer and **J.H.F. Ritzerfeld,** A remote identification system based on passive identifiers (3) 369–379

Campbell, D.R., T.J. Moir and **H.S. Dabis,** Multivariable polynomial matrix formulation of adaptive noise cancelling (2) 177–183
Chen, H.-H., Y.S. Chen and **W.-H. Hsu,** Low-rate sequence image coding via vector quantization (3) 265–283
Chen, R.-Y., *see* **C.-L. Wang** (2) 197–204
Chen, Y.S., *see* **H.-H. Chen** (3) 265–283
Comon, P., MA identification using fourth order cumulants (3) 381–388

Dabis, H.S., *see* **D.R. Campbell,** (2) 177–183
Davies, E.R., A skimming technique for fast accurate edge detection (1) 1–16
De Bougrenet de la Tocnaye, J.-L. and **A. Hillion,** Optical modeling of mathematical morphology: A link between convolution of images, dilation and erosion (2) 243–246
Dubesset, M., *see* **J. Mars** (2) 147–195

Fahmy, M.M., *see* **R. Hu** (3) 285–305

Goutte, R., *see* **G. Jacquemod** (1) 139–146

Hambaba, M.L., The robust generalized least-squares estimator (3) 359–368
Hartwig, S., *see* **A. Kummert** (1) 61–93
Hillion, A., *see* **J.-L. de Bougrenet de la Tocnaye** (2) 243–246
Hsu, W.-H., *see* **H.-H. Chen** (3) 265–283
Hsueh, Y.-C., Mathematical morphology on *l*-images (2) 221–241
Hu, R. and **M.M. Fahmy,** Texture segmentation based on a hierarchical Markov random field model (3) 285–305
Huang, Y.-M., *see* **J.-L. Wu** (1) 27–36
Hypki, A., *see* **A. Kummert** (1) 61–93

Jacquemod, G., C. Odet and **R. Goutte,** Image resolution enhancement using subpixel camera displacement (1) 139–146

Kotropoulos, C. and **I. Pitas,** Constrained adaptive LMS *L*-filters (3) 335–358
Kummert, A., S. Hartwig and **A. Hypki,** A new adaptive lattice filter for the ARMA modeling of vector signals (1) 61–93

Elsevier Science Publishers B.V.

Kwon, O.W., C.K. Un and **J.C. Lee,** Performance of constant modulus adaptive digital filters for interference cancellation (2) 185–196

Lacoume, J.L., *see* **J. Mars** (2) 147–195
Lee, J.C., *see* **O.W. Kwon** (2) 185–196
Lu, W., *see* **Y. Wang** (1) 17–26

Mars, J., N. Martin, J.L. Lacoume and **M. Dubesset,** Analysis of signals over short time-windows (2) 147–195
Martin, N., *see* **J. Mars** (2) 147–195
Moir, T.J., *see* **D.R. Campbell** (2) 177–183
Moses, R.L., *see* **P. Stoica** (1) 95–118

Nadeu, C., Finite length cepstrum modelling – A simple spectrum estimation technique (1) 49–59

Odet, C., *see* **G. Jacquemod** (1) 139–146

Pei, S.-C. and **J.-J. Shyu,** Design of real FIR filters with arbitrary complex frequency responses by two real Chebyshev approximations (1) 119–129
Pitas, I., *see* **C. Kotropoulos** (3) 335–358

Ritzerfeld, J.H.F., *see* **H.J. Butterweck** (3) 369–379

Shyu, J.-J., *see* **S.-C. Pei** (1) 119–129
Šimonytė, V., *see* **P. Stoica** (2) 205–220
Söderström, T., *see* **P. Stoica** (2) 205–220
Sood, A.K., *see* **V.A. Topkar** (3) 307–334
Stoica, P. and **R.L. Moses,** On the unit circle problem: The Schur–Cohn procedure revisited (1) 95–118
Stoica, P., T. Söderström and **V. Šimonytė,** On estimating the noise power in array processing (2) 205–220

Topkar, V.A. and **A.K. Sood,** Statistical analysis of scale-space (3) 307–334

Un, C.K. *see* **O.W. Kwon** (2) 185–196

Van Meer, A.C.P., *see* **H.J. Butterweck** (3) 369–379
Velez, E.F. and **R.G. Absher,** Parametric modeling of the Wigner half-kernel and its application to spectral estimation (2) 161–175
Vesin, J.M., A nonlinear autoregressive signal model with state-dependent gain (1) 37–48

Wang, C.-L. and R.-Y. Chen, Optimum design of the LMS algorithm using two step sizes for adaptive FIR filtering (2) 197–204

Wang, L., *see* **Z. Wang** (1) 131–137

Wang, Y. and W. Lu, Multiobjective optimization approach to image reconstruction from projections (1) 17–26

Wang, Z. and L. Wang, Interpolation using the fast discrete sine transform (1) 131–137

Wu, J.-L. and Y.-M. Huang, A novel modularized fast polynomial transform algorithm for two-dimensional convolutions (1) 27–36